	Type	#	Hits	Search Text	DBs	Time Stamp	Comme	Error Defini tion	Err
н	IS&R	디	3525	((385/88-92) or (385/94)).CCLS.	US-PGPUB; 2/19 USPAT 09:35	2005/1 2/19 09:35			
8	BRS		34731	(ferrule or plug) with (plate or lid or cover or covering or roof)	US-PGPUB; USPAT	2005/1 2/19 09:35			
က	BRS	L13	294	L1 and L2	US-PGPUB; USPAT	2005/1 2/19 09:35			
4	IS&R	1.4	48	(385/63).CCLS.	US-PGPUB; USPAT	2005/1 2/19 09:35			
S	BRS	1.5	<u></u> 20	L1 and L4	US-PGPUB; USPAT	2005/1 2/19 09:35			
9	BRS	T.6	164	(ferrule or plug) same vcsel	US-PGPUB; USPAT	2005/1 2/19 09:35			
7	BRS	L7	137	L6 not (L3 or L4)	US-PGPUB; USPAT	2005/1 2/19 09:35			
ω	IS&R	L8	2473	((257/98) or (257/432)).CCLS.	US-PGPUB; USPAT	2005/1 2/19 09:35			
6	BRS	L9	133	L8 and (ferrule or ferrules or plug or plugs)	US-PGPUB; USPAT	2005/1 2/19 09:35			
10	BRS	L10	137984	(two or (first near3 second) or (upper near3 lower)) adj3 (plates or wafers)	US-PGPUB; USPAT	2005/1 2/19 09:35			

1

Туре	a)	#	Hits	Search Text	DBs	Time Stamp	Comme	Error Defini tion	Err
BRS I	, ,	L22	124	21 not 20	US-PGPUB; 2005/ USPAT 12:35	2005/1 2/19 12:35			
BRS		L23	13451	(camera or ccd) with align\$4	US-PGPUB; 2005/ USPAT 13:50	2005/1 2/19 13:50			
BRS		L24	73	23 and 1	US-PGPUB; 2005/ USPAT 13:50	2005/1 2/19 13:50			
BRS	_ H '	1.25	73	24 not (20 or 21)	US-PGPUB; 2/19 USPAT 13:51	2005/1 2/19 13:51			

	Туре	# 1	Hits	Search Text	DBs	Time Comme Stamp nts	(1)	Error Defini tion	Err
	BRS		0	(plate and ferrule and (fiber or fibre) and align\$4 and (visual or visually or image or images or imaging)).clm.	US-PGPUB	2005/1 2/19 16:14		-	
63	BRS	L3	0	(plate and ferrule and (fiber or fibre) and align\$4 and (camera or ccd)).clm.	2005 US-PGPUB 2/19 16:1	2005/1 2/19 16:14			